



Miami County, Kansas
Code Services Department
 Building Inspection • Environmental Health
 Code Enforcement • Sewer District Operations
 201 S Pearl Street • Paola, Kansas 66071-1777
 Phone: 913-294-4145 • Fax: 913-294-9545
 Email: comdev@miamicountyks.org

MIAMI COUNTY DESIGN CRITERIA

CODES ADOPTED

- 2018 International Residential Code
- 2018 International Building Code
- 2018 International Plumbing Code
- 2018 International Mechanical Code
- 2018 International Fuel Gas Code
- 2018 International Fire Code
- 2018 International Existing Building Code
- 2018 International Swimming Pool and Spa Code
- 2017 National Electric Code NFPA 70

Table R301.2(1) CLIMATE AND GEOGRAPHIC DESIGN CRITERIA							
Ground Snow Load	Wind Design					Seismic Design Category	
	Speed (mph)	Topographic Effects	Special Wind Region	Windborne Debris Zone			
20	115	No	No	No	A		
Subject to Damage From			Winter Design Temp	Ice Barrier Underlayment Required	Flood Hazards ^f	Air Freezing Index	Mean Annual Temp
Weathering	Frost Line Depth	Termite					
Severe	36"	Yes	6°F	Yes	-	1000	55°F

(f) sub-note for Flood Hazards.
 Community Number 200220

a) Initial NFIP Map: Community Number 200220A dated 06/07/1977; Flood Hazard Boundary Map H-01-35.
 b) Entry into the NFIP – 1st Code Adoption Date: 1/23/1995 Resolution R95-01-006.
 c) Original FIS Date 9/26/2008; Revised FIS Date (Current Effective) 1/16/2014;
 d) Initial FIRM: 12/01/2006 / FIRM Panel Date: 08/19/2008; Map Number 20121CIND0A; Effective Date 8/19/2008; FIRM Panel Numbers: 25, 45, 50, 55, 65, 70, 80, 85, 95, 125, 145, 150, 155, 159, 160, 163, 164, 165, 167, 168, 178, 180, 185, 186, 190, 195, 205, 210, 215, 220, 250, 275, 276, 277, 281, 300, 310, 320, 325, 330, 340, 350, 375.
 e) Revised Map Number 20121CIND0B; Effective Date 1/16/2014; Revised FIRM Panel Numbers: 25, 45, 50, 55, 60, 65, 70, 80, 85, 90, 95, 125, 145, 150, 155, 159, 160, 163, 164, 165, 167, 168, 178, 180, 185, 186, 190, 195, 205, 210, 215, 220, 250, 275, 276, 277, 281, 300, 210, 320, 325, 330, 340, 350, 375.